

Composition

	%w/w
Total Nitrogen	2,00
Phosphorus (P ₂ O ₅)	30,00
Potassium (K ₂ O)	3,00
Boron (B)	0,01
Copper (Cu) chelated by EDTA	0,02
Iron (Fe) chelated by EDTA	0,02
Manganese (Mn)	4,00
Molybdenum (Mo)	0,001
Zinc (Zn)	0,01



Characteristics

WANDEL MN is specifically designed to improve crop yield and quality in potato and taproot crops (carrots, radish, sugar beet, etc.)

WANDEL MN is rich in Manganese, a Micronutrient activator of multiple enzymes involved in photosynthesis and carbohydrate biosynthesis. The effect of manganese is supplemented by Macro and other Micronutrients that optimize the plant nutritional status and by the presence of phosphorus in a highly bioavailable form that improves nutrients uptake and transport.

As a result, **WANDEL MN**, stimulates tuber formation, tuber enlargement, and starch accumulation, leading to increased number, size

and quality of potatoes. Similarly, this product stimulates the development and elongation of taproots.

WANDEL MN can be mixed with all common formulations, except with products with alkaline reaction based on Copper and Sulphur, mineral oils and emulsions. A simple mixture test to check compatibility is advisable.

Potatoes Carrots Sugar Beet Green Beans



Application

Crops	Time of application	Application & Interval	Dosage
Industrial crops (Potatoes, carrots, radish, sugar beet, green bean, broad bean, soybean)	At the beginning of the crop cycle	3-4 applications every 7-10 days	2,5 - 3 L/Ha
Strawberries	At the beginning of the crop cycle	3-4 applications every 7-10 days	1,5 - 2 L/Ha
Fruit trees	At pre-flowering and fruit enlargement	3-4 applications every 7-10 days	2 - 2,5 L/Ha

Improves the development of taproot crops.

Increases number, size and quality of potato tubers

Recommended for crops with high manganese demand

FERTILIZER



IMPORTED FROM EU

